




WCX14

Through-the-Wall Split Unit

1 thru 2 Ton

11.7 SEER2

WCX14-CB



WCX14-CB

STANDARD FEATURES

- Up to 11.7 SEER2 with matching Air Handler
- Smaller height for applications where height is a issue.
- Factory charged with R-410A refrigerant (charge will need to be field-adjusted)
- Unique cabinet design-unit side panels fit inside rather than outside the base pan to improve water containment on the sides of the cabinet
- Extra-high efficiency scroll R-410A compressor
- High pressure switch
- The more efficient backward curved fan - Moves more air over the condenser coil at lower operating watts than standard type blower.
- Sloped base pan - Positive water drainage from the unit to the building exterior
- Plastic coated coil guard
- Filter/drier
- Direct replacement for older WCU-CB

COMPARISON


THROUGH-THE-WALL VS CONVENTIONAL CONDENSING UNITS

- Lower Installation Costs - WCX12 condensing units install on the same floor as the apartment, town home, or condominium, resulting in considerable first cost savings in refrigerant, refrigerant piping, and electrical wiring compared to condensing units installed on the ground or roof.
- Easier to Service - Being located on the same floor as the apartment, town home, or condominium, service and routine maintenance of the WCX12 is much easier and can be performed by one person.
- Eliminates theft problems
- No costly landscaping needed to hide the units
- No condensing unit support pads required
- No additional roof support expenses
- No chase-ways to roof or ground needed for refrigerant lines

OPTIONAL ACCESSORIES


- Architectural Louvered Louver

Optional Accessories		
G200CB	Anodized aluminum architectural louver	23 X 29-1/2



Anodized Aluminum Architectural Louver

WCX14-CB



PHYSICAL DIMENSIONS					
MODEL NUMBER	A	B	C	LIQ/SUCT. Line Connections (Sweat)	Approx. Ship Weight
12WCX14-CB	23	29-1/2	22	3/8 O.D /3/4 O.D.	125 lbs
18WCX14-CB	23	29-1/2	22		134 lbs
24WCX14-CB	23	29-1/2	22		140 lbs

Electrical Data 208/240-1ph-60hz						
MODEL NUMBER	Compressor		Condenser Fan		MCA	MOP
	LRA	RLA	FLA	HP		
12WCX14-CB	29	5.6	2.8	1/2	9.8	15
18WCX14-CB	56.3	9	2.8	1/2	14.1	20
24WCX14-CB	62.9	10.9	2.8	1/2	16.4	25



WARNING AVERTISSEMENT ADVERTENCIA
 Cancer and Reproductive Harm
 Cancer et Troubles de l'appareil reproducteur
 Cáncer y Daño Reproductivo
www.P65Warnings.ca.gov LBY0057

Capacities and SEER2 Ratings for various matched air handlers and fan coils can be found on the First Co. website at www.ahridirectory.or or www.firstco.com under ratings.



FIRST CO.
P.O. BOX 270969 - DALLAS, TEXAS 75227
PH. (214) 388-5751 | FAX (214) 388-2255
WWW.FIRSTCO.COM

JUNE 2024